


Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

CEL 1867

ex Som. Engeleen? 2-3 pedules, astireli orbivelati ?" Crecto patula i d'aunitre, aveolre remotre mujusvulce subside en margine artiste settis flavis sobcestis ( seles Op. lagele. siæ leben sed brevissiber / løngilesvales amothe, avulea las, avuler precipier magnale, 1-3-4, Rægentles, flæri, bæri færi (ompres) Longwin /- 1/2 long.




MISSOURI BOTANICAL GARDEN.

GEORGE ENGELMANN PAPER.



8c/2/1367

At. OS. Missour out nove , 89. O. Julies" events-patela 2 alla vindon, setti Brevionden flavis, ander teacerosiber paceris, astili sørielet. I have sriked Tyran ago for Dolgrows deel marked 89. a plant, which had no wool on the aveolar of the ful at second year, though seed and Dy plant I that way show to B. Laglana. Ish I am and sag stætten the present plant er my spærie . Lee Cat Bound p.48.





MISSOURT BOTANICAL GARDEN



Host bot Missour. sub nom, 13 O. elation ex Hostbych Breite 4 poblis, pervindes, astituli delongoobverti, 12 12 long 5-6 "lating vix teller mede tres. arcolae remotee tomente Previssimo setisque vix allis munitee ; arreler 3-5 fusor 1-2"
longi, supenons veredi seu pometi inferiory deflexi s. plus mines pometi; prair lions, folis petiets s. subreflexa. Heifer p. 165 desorbes O. elation with attitles gleeces rents beef 7-10" by 3/2-5- Diamel. Perhaps our plant es consegues the Ofif. i'm? which has
assiste descure visides " but only 2-3 spiles 1-3 long

4, folis minute petentis plans and "





JEST 1861

Spantia elongata Salen p. 242 (lirili) sea Carto)

Hot bot Missioni on a aour, 56. O. elongat.

andei paccissioni, singuli albi 3 lialongi, setarci,

s. asterli penvinides scepius i'acromes

Saling descript p. 242 agree, well amongh; but he says

spaloilli pouleis albidi instructi ariculati gnorili 6, 2-7

uno allevove sub politari la langua may be a var. laconing




Missiouri Botanicat Carber.


GEORGE ENGELMANN PAPERS



156

Munter Sillenii Ha van obivuleta Selen p. by Poffly Am Dot Missour sie nou, 25. O. Sillenii van orbinleta Ox And Sych Kreits petals, 2p pedalta artireli g-10 "longi, 7-9" lett sborbirelett pillide virily (sed vix gleene ) longis in marghe seperare spendre spines pobesti, vinni, sinantolis retens bravilus; ævelei subsinguelit defleri compressi, flavi depe basi Justal. Their is sort the; Tuna major A sulph. Sill. fig 382 Reif, 163 desortes O. Sillenii es y glacera " setce brevisia" amlei minores 3-5. Elistoner, Ivalider, pollitani. seems tibe our plant hovern,






Muntie Eageleace. ? Silleni? 3 probles enter, attill 10-12 long 7-8" let, setre flavre, aarle, peceri flavi ver pollivares. 4.00. Min. Sept 1861 This much be differed for the above







1861 Bruntia Delle .? His bot Missour sire nombre (ex Host Byck? ereste 3-pedalis, artirli obovati 7-8 longi, 5-6" lati pulled viridy areolae Damolae Tetres passes Hongion bus mundle planica de dubinem Of ænder 1-3 pobesstr, fusor apire flavr Sarra, men sinili, inination, worts. pyrifornis, angelato-vitir-lata late et propunde umbitirata, arcolis 18 stipata. f. 2" longe 1/4 lata) (see figure). all the true sperious of O. Engelmanni have all ripe fruit by their time, while all the other han unife (biennial) frecit, but the plant is vertacing near op. laget come hubit e 9 appearance, dont also very near O. Billeni. Seeds strongly rougherend, rather regular, with a Boad undulate subarnite or obtersty marqui 174 – 2 laikes in Dameter

0 1 2 3 4 5 6 7 8 9 10


Copyright reserved

Copyright reserved

MISSOURI BOTANICAL GARDEN.

NITSSOURY BOTANICAL GARDSING AREAS

GEORGE ENGELMANN FARESS



Thre 5 1967 (Nogy Catal. Way) Opinta Light Host Bot Mayrour, (from Primer Sulen 1857. 3) Howen, aboundant. Course marky 2 in her long and 1 inch or more think.

bush with 25-35 personalis

13-15 of which are on the

body of the orany, and 15-20

on the or meanth upper edge. detten bean subulate Squanuse, deridues lewy but. I er sepal, which full of often How she 3 p shell d'auto, yellow turnings Signels personal, 8-10 exterior on lamentale or orthogonated santi, 8-10 internos our green on the enistil with petalor maging, obornte makinte. Attaly 10 or 12 about oblance innermost ony return or emany, aste; 9-12 lehr wide Mans short 7-9 1. Com. Thighe of long, very think & venturious Sept-1861 Creita, magna, 9-4 pedales, article ortificali 8-10-12" i Sametro. fere retiralet, pellede visible æreolæ semotae setis sobustis flavis miniae plunimae avulertre, avuler flavi gnoilions Dacia obovota v nune matiera l'annua s. ipso anno, in mensiber 3-4 mateurs rens )-2 ple longe in late, umbilir leto paruna dapresso, arcoles 26 notate, fusio to mentosis prominules vix setosis

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL

GARDEN.

addula.

pulpa purpurer succosa procesipore carinae seminum adhaerens. 1/2-1/4 Li Sanet. Semina pleerima, parvola margine consso obluso undulato cinota

> MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN.

Ent 1867

Host bot Missofer sub. now of Op. Eagle Mex. Boundary.

Eresto-petula /2 pedulis/ setis Horis feeloris

avilles stramageis inpassionis.

Opentis Carelanami.

H. D. Miss. sol. non , Openth. lagala. Englepers & Diglas"

Creeto-petale 4/2 ett, setis alongeti roberster plans

avaleri albidis bas: fuerois robustis.

Bacca numer matura (apparsibus 4 maturnus)

obovata turgida, atroprupura, 1/2-2 longa 1-1/4

lata umbiliso parria depresso lato; arroles

25-27 notato justo to encutorii saix setosii; pulpa


purpura sacrosa in initati sentus obtuso cinota

Semina parra mursua angusto obtuso cinota

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI BOTANICAL GARDEM GEORGE ENGELMANN PAPERS




6/1 1861

Aprilia Eagelmanni Hort Bot Missour sil non, "Op. Eagelawi El Paso." Creek 3 - perli; attituli glavali 1. ovati Maximi 15 longi 11 lati, mesti, pullide vivides Dix glaceri; sette en araber superioules marginaliber seminimalores, 9-5-"Congae; ærule, 3-5. sebusti sabulali, basi leti, compressi, albi, besi færri, Bingsto majore 1-1/2 lønge deflex v. ipsvætate maturens Barra l'obevale y um biliro Catissimo (1/2) paulle immerso Amerata, 24 longa, 12 late, arcolis 25 munita grisco tomuloses atropulpura, pulpa purpurer successa insipréda s. subdulois demina paron. manghe augustione obteen oriesta, 1/4-12 lin i Sametor. This is exactly the same as the Eagle pers plant, and Istinguisher from the other forms by the very læge joiet at the shite (al bese bown Thing.

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN.

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Cent 1867

And Ost Missour. sol now, Rio Grand ex sem".

Toolful waster from the Month or for upp satisfy Rio Junal.

4.6" let of pedelis, articali orticalisty of org.

Silve elongeter flavae; ad margine him inde

ferrial 'devaler 1-5

Opentir Engelmanni

H. D. Miss. sub. At # "Op. Caplmani subinermis ex suntex

Cresti 3 pedelis estivili 10"lorgi 8"leti, oborito-orbirali

glaures reati-virido, retiraleti, arcolae remotre (non

tuberrulas impositae); setis maginelibus robertis ulas

flavis basi fusici munitae; aculei 1-2 "

seu plerninque mulli"

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL

GARDEN.

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



lept 1861

Opentia Eagelmanni

Hosh bot Missouri

Contotherwise designated — place not notion father, perhaps

one of those absences described).

Bacra escapellar orato subaglobersa 2"longa 1% lata

cumbilisti letissimo phano (1% "lato) ascolio 24 grisco —

tomentosis notata, atropumpura, pela purpura

sucrosa, insipit subalais.

Jamena regularia compresa, mengre augusto

onsso obbeso cinota, dienete 24 lia.

Op. inter lightnesse our schedule, There, monerathe, layland? "

the D. Miss. com schedule, There, monerathe, layland? "

above dovata, 2"lorge 1/4 lets, teary, d, membiliar

lets sub polleran' person immens, areoles 26. grain

tomentosis vir setosis notata, atropumperrea, palas


purpure, sucrosa, insipile sald lois.

Josephan purposa, mayre angustion subobtase

rinotae

vinetae

Jaes cettle, smaller, then lest, more irregular





Opentie Cuglin.

"Mexican Donadary" Host Dot Missours.

2-3 pedalis erecto-patela, articlis donato-orbiralati, vetis fusios elongatis, principue i areolis fuanziales, apricality of superioriby, areles robertis stransley.

Ami bus fusios.


Opuntin Engelon

H. O. Missour of non: Op. Engler, e. son. Tex. "III (1853?)

Crecto-patula 2'z pedalis, vinidinsonla Mertirali

Il "longi 8" letri plan a arcolae remotae acti;

brevisibes munithe; arulei albidi has furri.



MISSOURI BOTTOTO GARDEN GEORGE ENGLESSES PAPERS

